



FEDERAL  
MINISTRY  
OF HEALTH



**HIV/AIDS in Nigeria** -pushing for the last mile

## **PRESS RELEASE**

March 14, 2018

**Nigeria HIV/AIDS Indicator and  
Impact Survey (NAIIS)  
reveals progress and critical gaps in  
ending the HIV epidemic**



**The Global Fund**  
To Fight AIDS, Tuberculosis and Malaria



**UNAIDS**



UNIVERSITY of MARYLAND  
BALTIMORE



**W**  
UNIVERSITY of  
WASHINGTON



**AFENET**  
African Field Epidemiology Network

## **NIGERIA HIV/AIDS INDICATOR AND IMPACT SURVEY (NAIIS) REVEALS PROGRESS AND CRITICAL GAPS IN ENDING THE HIV EPIDEMIC**

March 14, 2019 – Abuja, Nigeria. His Excellency, Muhammadu Buhari, President of the Federal Republic of Nigeria, formally unveiled the findings of the Nigeria HIV/AIDS Indicator and Impact Survey (NAIIS) at a special event in the Presidential Villa, marking the start of disseminating NAIIS results. The Government of Nigeria, with the support of The U.S. President's Emergency Plan for AIDS Relief (PEPFAR), The Global Fund to Fight AIDS, Tuberculosis and Malaria (Global Fund) and other development partners with technical assistance from the US Centers for Disease Control and Prevention (CDC), conducted NAIIS, one of the largest population-based HIV/AIDS household survey in the world. NAIIS directly measured HIV prevalence and viral load suppression, allowing Nigeria to focus on providing services to the areas with the greatest need to control the HIV epidemic.

Speaking in Abuja at the event, the President welcomed the news that Nigeria had fewer people living with HIV than previously estimated and launched the Revised National HIV and AIDS Strategic Framework 2019-2021, which will form the future response to the country's epidemic.

HIV prevalence, defined as the percentage of PLHIV in the population of Nigeria, among adults age 15-49 years was 1.4% (1.9% among females and 0.9% among males). HIV prevalence among children age 0-14 years was 0.2%. HIV prevalence was highest among females age 35-39 years at 3.3% and the highest prevalence among males age 50-54 years at 2.3%. The HIV prevalence gender disparity between females and males was greatest among younger adults, with females age 20-24 years having 4 times the prevalence of males in the same age group. The new prevalence gives an estimate that there are 1.9 million people living with HIV in Nigeria.

Viral load suppression (VLS), defined as having less than 1,000 HIV RNA copies per ml of plasma, shows the positive effect of antiretroviral treatment. Achieving VLS maximizes the health benefits to PLHIV, minimizes the risk of HIV transmission, and is necessary to halt the epidemic.

At the national level, viral suppression among people living with HIV aged 15 to 49 years old with access to treatment stands at 42.3% (45.3%

among women, and 34.5% among men). VLS was 44.5% (46.2% among females and 40.9% among males) for age 15-64 years. VLS among PLHIV was highest among males age 55-64 years at 55.0% and the highest VLS among females age 45-54 years at 54.3%. The VLS gender disparity between females and males was greatest among those age 25-34 years, with females in this age range being 2 times more likely to achieve VLS, compared to males in the same age group.

Halting the epidemic includes stopping transmission of HIV from mothers to children during pregnancy, labor and delivery, and breastfeeding. Transmission from mother to child can be halted by making sure that mothers have access to antenatal care during their pregnancy, are tested to know their HIV status, and receive antiretroviral drugs (ARVs) if they are HIV-positive. NAHS data show that among women who gave birth since January 1, 2015, 76.5% self-reported attending at least one antenatal care visit for their last pregnancy and 40.0% self-reported knowing their HIV status during pregnancy. Among women who self-reported knowing their HIV status, 1.4% self-reported testing HIV-positive before or during pregnancy. Among the known HIV-positive women, 82.6% self-reported receiving antiretroviral drugs during their pregnancy.

“The Nigeria HIV/AIDS Indicator and Impact Survey findings provide Nigeria with an accurate national HIV prevalence measure of 1.4%. NAHS also showed we are able to effectively provide antiretroviral treatment. Everyone infected with HIV needs to get treatment so they can achieve viral suppression, especially pregnant women. We must ensure pregnant women have access to ANC services and are tested during every pregnancy. We know we can support HIV-positive mothers, hence ensuring the next generation is free from HIV” Professor Isaac F. Adewole, Nigeria's Honourable Minister of Health.

“It is important that all people living with HIV get into treatment and achieve viral suppression. To halt the epidemic, we need to act now. As a government working with our partners, we have what it takes to support persons who are HIV-positive, to provide treatment, to protect their families and to help people live long and healthy lives,” Dr. Sani Aliyu, Director General, National Agency for the Control of AIDS (NACA).

NAIIS was a national household-based survey that assessed the prevalence of HIV and related health indicators. Data collection was successfully done in a compressed time, July through December 2018, to ensure the data were available to plan for the provision of HIV treatment and prevention services in 2019. Data were collected from household members ages 0-64 years old. Confidential HIV counseling and testing services were provided to people who participated in the survey. All participants that were found to be HIV positive were linked to a health facility to help them access HIV services. NAIIS data includes national, zonal, and state information on HIV control activities in Nigeria.

“I commend the Nigerian government and all its partners for conducting this ambitious survey which provides us with a much better understanding of the country's AIDS epidemic. While it is fantastic news that there are fewer people living with HIV in Nigeria than previously thought, we must not let down our guard. Let us use the results of this survey to better focus our delivery of HIV prevention, treatment and care services to people in greatest need and ensure that Nigeria gets on track to end the AIDS epidemic by 2030.” Michel Sidibé, Executive Director of UNAIDS and Under-Secretary-General of the United Nations

“Beyond the data, the survey has proved the capacity of Nigerians working together in solidarity with one another to rise and resolve challenges regarding the health and wellbeing of their brothers and sisters. The U.S. Government is proud to support Nigeria in conducting the Nigeria HIV/AIDS Indicator and Impact Survey,” David J. Young, Chargé d'affaires, US Embassy, Nigeria.

“The Nigeria HIV/AIDS Indicator and Impact Survey results provide Nigeria and partners with accurate data, including HIV prevalence, viral load suppression, and the impact of preventing mother-to-child transmission services. CDC is proud to partner with the Federal Ministry of Health, the National Agency for the Control of AIDS, and others to complete the household survey. The encouraging results presented today, along with ongoing monitoring and evaluation data will help the Government of Nigeria to intensify efforts in the fight against HIV/AIDS to achieve epidemic control. CDC will continue to work alongside our Nigerian brothers and sisters in this fight.” Mahesh Swaminathan, Country Director, CDC Nigeria



Nigeria has shown steady progress on increasing access to treatment for people living with HIV, with the adoption of a test and treat programme in 2016 further accelerating referrals to treatment for people who test positive for the virus. From 2010 to 2017, the country has almost tripled the number of people living with HIV having access to antiretroviral therapy, up from 360 000 in 2010 to over 1 million people in 2018. However, the new estimates released today indicate that almost half of people living with HIV still do not have access to treatment.

The new estimates are more accurate than those previously conducted, as they are based on an expanded surveillance system and a revised and enhanced methodology. Between 2012 and 2014, there was a significant expansion in the country's HIV response. The number of sites providing treatment doubled, prevention of mother-to-child sites increased 8-fold and HIV counselling and testing sites increased four-fold. A total of 6.7 million adults were counselled and tested for HIV in 2014, a 65% increase from the previous year.

The survey reached more than 250,000 respondents in nearly 100,000 households and was successfully completed in record time, despite geographical, infrastructural, logistical and security challenges in the country at the time when the survey was conducted. It was implemented by the NAIIS Consortium led by University of Maryland Baltimore (UMB), other members are African Field Epidemiology Network (AFENET), ICF, and University of Washington. Supervision was provided by the NAIIS Technical Committee.

## FEDERAL MINISTRY OF HEALTH (FMOH)

Federal Ministry of Health is one of the Ministries in the Federal Republic of Nigeria. It is concerned with the formulation and implementation of policies related to health. The Ministry has several departments focusing on different aspects of health care. The Department of Public Health's National HIV and STI Control Program (NASCP) participated in the conduct of NAIIS and guided its implementation. More information can be found at [www.fmh.gov.ng](http://www.fmh.gov.ng)

## NATIONAL AGENCY FOR THE CONTROL OF AIDS (NACA)

The National Agency for the Control of AIDS was established to coordinate the various activities of HIV/AIDS in the country. The Agency among several functions coordinate and sustain advocacy by all sectors and at all levels for HIV/AIDS/STDs Expanded Responses in Nigeria. The Agency in collaboration with the FMOH guided the implementation of NAIIS. More information can be found at <http://nacagov.ng/> for information about NACA

## THE U.S. PRESIDENT'S EMERGENCY PLAN FOR AIDS RELIEF (PEPFAR)

PEPFAR is the United States Government's response to the global HIV/AIDS epidemic, which represents the largest commitment by any nation to address a single disease in history. Through the compassion and generosity of the American people, PEPFAR has saved and improved millions of lives, accelerating progress toward controlling and ultimately ending the AIDS epidemic as a public health threat. More information can be found at [www.pepfar.gov](http://www.pepfar.gov), and connect with PEPFAR on Twitter, Facebook, and Instagram.

## THE U.S. CENTERS FOR DISEASE CONTROL AND PREVENTION (CDC)

CDC works 24/7 saving lives and protecting people from health threats to have a more secure nation and the world. HIV and tuberculosis (TB) are the world's two most deadly infectious diseases, and CDC's Division of Global HIV & TB works with partners to tackle these two epidemics and produce the greatest global health impact. More information can be found at <http://www.cdc.gov/globalhivtb>

## THE GLOBAL FUND TO FIGHT AIDS, TUBERCULOSIS AND MALARIA

The Global Fund to Fight AIDS, Tuberculosis and Malaria (Global Fund) is a partnership organization designed to accelerate the end of AIDS, tuberculosis and malaria as epidemics. Founded in 2002, the Global Fund is a partnership between governments, civil society, the private sector and people affected by the diseases. The Global Fund raises and

invests yearly to support programs run by local experts in countries and communities most in need. More information can be found at <https://www.theglobalfund.org/>

## UNIVERSITY OF MARYLAND, BALTIMORE

The University of Maryland, Baltimore, (UMD or UMB) is a public university which is part of the University System of Maryland, a public corporation. It comprises some of the oldest professional schools of dentistry, law, medicine, pharmacy, social work and nursing in the United States. UMB with its Institute of Human Virology (IHV) was the lead partner in the consortium that implemented NAIIS. More information can be found at <https://www.umaryland.edu>

## AFRICAN FIELD EPIDEMIOLOGY NETWORK (AFENET)

Africa Field Epidemiology Network (AFENET) is a not for profit organization that strives to improve health systems through capacity building, research and service delivery. AFENET is an epidemiological network in more than 30 African countries including Nigeria. It implements the following programs in Nigeria: the Nigeria Field Epidemiology and Laboratory Training Program (FETP), the National Stop Transmission of Polio (NSTOP) and the AFENET HIV/AIDS program as well as various projects on communicable and non-communicable diseases. AFENET supports the Government of Nigeria on capacity building, diseases interventions and surveillance and participated in NAIIS as a member of the consortium. More information can be found at [www.afenet.net](http://www.afenet.net); [www.afenetnigeria.net](http://www.afenetnigeria.net)

## ICF INTERNATIONAL

ICF International, Inc. is a global consulting and technology services company. It is headquartered in Fairfax, Virginia and provides strategic planning, research, program management, business process management, data analytics, technology, cybersecurity, marketing strategy and engagement marketing services, particularly in the areas of government, energy, environment, infrastructure, transportation, health, education, social programs, public safety and security, consumer and financial market. ICF International participated in NAIIS as a

member of the consortium. More information can be found at [www.icf.com](http://www.icf.com).

## UNIVERSITY OF WASHINGTON

The University of Washington (UW) is a public research university in Seattle, Washington. It hosts the Institute for Health Metrics and Evaluation which is a research institute working in the area of global health statistics and impact evaluation at the University of Washington in Seattle. The institute participated in NAIIS as a member of the consortium. More information can be found at

## UNAIDS

The Joint United Nations Programme on HIV/AIDS (UNAIDS) leads and inspires the world to achieve its shared vision of zero new HIV infections, zero discrimination and zero AIDS-related deaths. UNAIDS unites the efforts of 11 UN organizations—UNHCR, UNICEF, WFP, UNDP, UNFPA, UNODC, UN Women, ILO, UNESCO, WHO and the World Bank—and works closely with global and national partners towards ending the AIDS epidemic by 2030 as part of the Sustainable Development Goals. More information can be found at [www.unaids.org](http://www.unaids.org)

For more information, please contact any of the following:

**Federal Ministry of Health**, Central Business District, Abuja

**National Agency for the Control of AIDS**, Central Business District, Abuja

**NAIIS Office**, No 2, Sirakoro Street, Wuse II, Abuja.

**National HIV call center: 6222**

or visit:



[www.naiis.ng](http://www.naiis.ng)



[info@naiis.ng](mailto:info@naiis.ng)



[@naiisng](https://twitter.com/naiisng)



**The Global Fund**  
To Fight AIDS, Tuberculosis and Malaria



**UNAIDS**

